


Boston • Detroit • New York • Stuttgart

Call **0508 238 262** www.advanceflooringsystems.com





These colours are available ex-stock in New Zealand:



08 Grey

09 Charcoal


Boston is available ex stock in 2 colours.

Recommended Installation Methods:






These colours are available ex-stock in New Zealand:



Detroit is available ex stock in 3 colours with 5 more colours available on indent.

Recommended Installation Methods:



These colours are available ex-stock in New Zealand:





02 Middle Grey

01 Charcoal

New York is available ex stock in 2 colours.

Recommended Installation Methods:





MONOLITHIC

QUARTER-TURN

These colours are available ex-stock in New Zealand:






09 Middle Grey

10 Charcoal

Stuttgart is available ex stock in 2 colours with 10 more colours available on indent.

Recommended Installation Methods:







Technical Specifications:

Construction: Tufted multi-height loop pile

Face yarn: 100% Universal Nylon 6,6 & Voxflor certified Nylon 6

Dye method: Solution Dyed Nylon

Backing: Fibreglass reinforced polymer

Pile height: 4mm average Weight: 20oz/yd2

Flammability: Radiant Panel Test to ISO9239-1

CRF 8.0Kw/m2

Antistatic: Less than 3.5kV

(AATCC-134, GB/T18044-2008)

Grade: Class 2, Heavy Commercial

Installation: Full stick method recommended

Tile Size: 500 x 500mm x 6mm

Applicable Warranties:

- 10 Year Wear Warranty
- 10 Year Dimensional Stability
- 10 Year Antistatic
- 10 Year Castor Chair Limited Warranty

