

**Certificate of constancy of performance for product**

**0679-CPR-0198**

(English translation, the original version is in French)

*In compliance with the Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 laying down harmonised conditions for the marketing of construction products and repealing Council Directive 89/106/EEC, it has been stated that the construction products indicated in the following page, placed on the European economic area market by :*

**MANUFACTURE FRANÇAISE DES ARDENNES**

2 bis avenue François Sommer  
BP 60065 Glaire  
08206 SEDAN CEDEX  
FRANCE

*and produced in the factory:*

**MANUFACTURE FRANÇAISE DES ARDENNES  
2 bis avenue François Sommer - BP 60065 Glaire  
08206 SEDAN CEDEX – FRANCE**

*are submitted by the manufacturer to a factory production control and to the further testing of samples taken of the factory in accordance with a prescribed test plan and that the notified body - CSTB - has performed the assessment of performance of fire reaction of construction products, the initial inspection of the manufacturing plant and of the factory production control and performs the continuous surveillance, assessment and evaluation of the factory production control (system 1).*

*This certificate attests to the products performance of fire reaction and that all provisions concerning the assessment and verification of constancy of performance described in the harmonized reference technical specification:*

EN 14041 : 2004

*Are applied and that the products fulfill all the prescribed requirements.*

**Products fire reaction performance:  $B_{fl} - s1$ , valid when maintained with a bonding system to any  $A2_{fl} - s1$  or  $A1_{fl}$  rated substrate whose density is  $\geq 1200 \text{ kg/m}^3$ .**

*This certificate can only be used in conjunction with the declaration of performance of the products written by the manufacturer or his authorised representative established in the European economic area and with the technical specification in reference.*


*This certificate is issued on 11<sup>th</sup> of March 2015, it cancels and replaces the certificate previously delivered on 29<sup>th</sup> of September 2014 and, except for withdrawal or suspension, remains valid as long as the conditions laid down in the corresponding technical specification in reference or the manufacturing conditions in the factory or the factory production control itself are not modified significantly.*

*This certificate comprises 2 pages.*

*The list of certificates issued by CSTB is kept up-to-date by the CSTB.*

*Issued in Champs sur Marne, on 11<sup>th</sup> of March 2015*

For CSTB  
On behalf of the Technical Director

  
Yannick LEMOIGNE

**cofrac**

ACCREDITATION  
N° 5-0010  
PORTÉE  
CERTIFICATION  
DE PRODUITS  
ET SERVICES  
WWW.COFRAC.FR

## Products

<b>MESSE SCHWEIZ</b>
<b>PASSAGE MODUL</b>
<b>TECSOM 4090</b>
<b>TECSOM 4120 GALERIE / TECSOM 4120 GALERIE DESIGN</b>
<b>TECSOM 4700 ELEGANCE / TECSOM 4700 ELEGANCE DESIGN</b>
<b>TECSOM 4750</b>
<b>TECSOM 4900 AVENUE / TECSOM 4900 AVENUE DESIGN</b>
<b>TECSOM 4910 BOULEVARD</b>

Product type :

Tufted textile floor covering in tiles with 100% PA cut pile on PVC backing.

Use category :

Internal use as floor covering