

Data Sheet

Starlux Coir



Entry Carpet System

Hardwearing and durable, StarLux Coir is designed specifically for the purpose of trapping dirt and absorbing moisture in your entranceway, to reduce walk through of dirt, dust and water into your premises. It's thick and absorbent 100% natural coir pile, ensures it's functional and strong, but is also an attractive solution that can be easily installed and easily maintained.

- Easy installation
 - Easy to clean and maintain
 - Absorbent 100% natural coir fibre
 - 100% anti-static
 - Anti-slip
 - Can be custom cut to your specifications
 - Can be stencilled with company name and logo
- Available in 17mm or 23mm thick. Comes in 2m x 10m rolls and can be cut to your specifications.

Cleaning/Maintenance

StarLux Coir's deep pile, traps and conceals dirt so regular cleaning with a vacuum, or by shaking is vital to prevent dirt build up. Mats can be rotated to prolong wear.

Daily Maintenance:

Regular vacuum cleaning when dry is essential to remove loose fibres and dirt. An easy way to clean StarLux Coir is to turn the mat upside down and use for a day, this shakes out dirt which can then be swept up.

Natural coir mats must be used inside or in weather protected exterior locations. Direct exposure to moisture will cause the mat to expand and swell.

Advance Flooring Systems Ltd
info@advanceflooringsystems.com
www.advanceflooringsystems.com

Call **0508 238 262**


Advance
FLOORING SYSTEMS

Data Sheet

Starlux Coir



Entry Carpet System

Periodic Maintenance:

Domestic solvents may be used to remove grease and dirt, however take care with industrial strength solvents which may cause damage to the PVC backing. StarLux Coir can also be hosed down and hung out to dry.

Caution:

Use care with detergents and solvents, industrial strength solvents may cause damage to the PVC backing. Take care when moving extra-large mats not to tear or stretch the PVC backing.

Guarantee

StarLux Coir comes with a 12 month guarantee against premature failure from manufactures defects.

Recommended For

- Schools
- Offices
- Shops
- Hotels
- Apartments
- Restaurants
- Motels
- Houses

Advance Flooring Systems Ltd
info@advanceflooringsystems.com
www.advanceflooringsystems.com

Call **0508 238 262**


Advance
FLOORING SYSTEMS

Data Sheet

Starlux Coir




Entry Carpet System

Colour Swatches



Natural Coir

Technical/Installation Drawings



Specification:
Entrance matting shall be 'Starlux Coir Mat _____ mm thick
Install into proprietary matwell frame brass/aluminium/stainless steel (delete as necessary)
as per detail No _____ above.
Installation must be on smooth level base to ensure optimum mat life and performance.

Advance Flooring Systems Ltd
info@advanceflooringsystems.com
www.advanceflooringsystems.com
Call **0508 238 262**


Advance
FLOORING SYSTEMS